





Forest-Liné V-Star High speed Vertical machining center



The Forest-Liné V-Star solution combines high-speed cutting and multi-material capability for the processing of large parts requiring high productivity and accuracy.

- High speed cutting machine from 3 to 40 m / from 20 to 125 kW
- Reduces the noise and maintenance thanks to linear motors
- Dedicated protection for carbon fiber and composite materials
- Dynamics process with high feedrates and possibility of fast accelerations
- Highly stiff structure
- Accurate machining thanks to the direct measuring of movements

Over 150 High Speed cutting machines in production worldwide

Thanks to its experience in the cutting technology, Fives designs high speed cutting solutions adapted to each market's unique requirements, in particular for the aerospace and automotive applications.

The Forest-Liné V-Star offers a high dynamic accuracy allowing to produce parts with a rapid production throughput. This capacity to process extremely long and wide parts as well as the combination of milling, trimming and drilling is perfectly adapted to the processing of aircraft structures, wing panels and boat hulls.

For all vanguard applications, this high velocity solution can efficiently process different materials, composites, resins, alloys and hard metals from the rough to the finish milling.

OPTIONS

- Forest-Liné FLEXITOOL
- Trimming Milling Effector
- Retractable/telescopic roof
- Automatic tool changers
- Vacuum Shroud Automatic Change
- Dust Extraction System
- Twin spindles and/or twin gantries
- Floor table
- Others on request

FEATURES

- User-friendly integrated HMI: FL Vision
- Linear motors on X and Y-axis
- CNC: SIEMENS 840D sl
- Direct measuring system
- Eco design
- CE certification



Z - stroke 2,5 m Forest-Liné Minumac 1,75 m Forest-Liné V-Star 4,5 m 4,5 m 6,5 m

Continuous 5 axis milling head • Power: up to 125 kW • Torque: up to 163 Nm • Spindle: up to 30,000 rpm



FOREST-LINÉ V-STAR SPECIFICATIONS

X Axis (Longitudinal)	
Travel	2.9 m to 40 m
Feedrate	60 m/min
Acceleration	1.5 m/s ² to 3 m/s ²
Y Axis (Horizontal)	
Travel	2 m to 4.5 m
Feedrate	60 m/min
Acceleration	1.5 m/s² to 3 m/s²
Z Axis (Longitudinal)	
Travel	0.75 / 1 / 1.25 / 1.5 / 1.75 m
Feedrate	40 m/min
Acceleration	1.5 m/s² to 3 m/s²
C Axis (Rotary)	
Travel	+/- 400 deg; n x 360°
Speed	Up to 40 rpm
A Axis (Rotary)	
Travel	+/- 110 deg
Speed	Up to 40 rpm
Continuous 5 axis Milling Head	
Power	Up to 125 kW
Torque	Up to 163 Nm
Spindle	Up to 30,000 rpm

SOME REFERENCES

Avic — Dassault Aviation — Figeac Aero — KnAAZ — Sabca — Skoda — Sukhoï

The information provided on this brochure is for information purposes only and does not constitute a legal obligation or a warranty, express or implied, concerning quality, marketability or suitability for a specific purpose.

CONTACT US Fives Machining



